

Receiving Report

Date: 12/1/12

Batch No: 11123216

Supplier: METALWORKS

Dart P/O: 17975

Packing Slip: Yes ☒ No ☐

Invoice: Yes ☐ No ☒

Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐

Waybill Attached: Yes ☒ No ☐

Shipment Complete: Yes ☒ No ☐

QC6 Inspection ☒

Work Order ☒

N/A ☐

N/A ☐

N/A ☐

N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 12/1/12

Date 12/1/12

Received/Costing [Signature]

Initial [Signature]

Location _____

Purchase Order Receipt Listing

Page 1 of 1

Wednesday, October 03, 2012 7:02:50 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO17975 Receipt Dates from 10/3/2012 to 10/3/2012 All Line Item Types
 All Item ID/GL/WOs All Rec. Employees All Currencies
 Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID/Vendor Name		VC-MET001	Metaux Castle								
PO17975	1		M304B0.250x0.500 f		10/3/2012	10/3/2012	504.0000	\$2.47	0.0000	0	\$1,245.66
CAD	No		304 BAR .250 x .500 f		500.0000	DESJ02		\$1,245.66	0.0000	0	
			123216								

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1486417

Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped	F.O.B.	Freight Terms		Carrier		BOL No	
01-OCT-2012	ORIGIN	Prepaid		MANITOULIN		1486417-2	

Shipment Details				Final Destination Branch - MON			
Order No	Line No	Item No	Description				
2439830	1	4969	0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156.0000 SPECIFICATIONS: ASTM A276				
Purchase Order No		Part Number	Ordered Qty		Invoice Qty		
17975			500.00 FT		504.0000 FT		
Details	SHIP OCTOBER 1ST ONLY - NOT BEFORE						
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
118005671	VALBRUNA CORPORATION	425245		42		144.0000	214.2000

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

Castle Metals FP

HEAT NUMBER 425245
MECHANICAL ID 4969
ITEM CODE 108131
LOT NUMBER 1-12-13
PO NUMBER 108131
RECEIPT DATE 1-12-13
SUPPLIER VAIKUNN #
SPECIFICATION AD
LCS
COMMENT
APPROVED 67

Acciaierie Valbruna s.p.a.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Clien
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Items/Usine production

Avviso di Spedizione: D-VII1036790
Lieferanzettel/Packing List/B.L.

Ordine nr: 29954 108131 CASTLE
Bestell/Your order/Commande

Certificato nr: MEST131291/2011/
Prüfung/Test/Essai

Conferma ordine nr: EH11003300
Werks/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine production



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'assesseur



Stato di fornitura: Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E-AOD
Erzeugnisart/Manufact process/Mode d'elaboration

Specifiche:
Anforderungen / Requirements / Exigences

3304-34-1-304 A
ASTM A276 2010 S30400 A

(D) SEC.II PT.A 2010 EDITION

Qualität/T-304L #4969
Werkstoff/Grade/Matériau

Marca: AISI
Markenbezeichnung/Brand/Matériau

AMS-QQ-S-763 B 304 A
ASTM A479 2010A S30400 A

ASME SA479 2010 S30400 A (D)

571063

Punzonatura: 304
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Nr. de poste	Objetto Gegenstand Product description Descrip. du produit	Dimensioni - In Abmessungen Product dimension Dimension	Tolleranza Toleranz Allowance Tolérance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0030	Flat	0,5000 x 0,2500	484 T5	148 / 150	425245		1.940	108305340

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbarem produkt test à l'état de fourniture Prueba sobre el material así como entregado

TEST	Provetta/Probier Spezial/Éprouvette Long. diam. Spec. Länge Diam. Spez. Wahl. Diam. Thickness Long. diam. épais mm	°F	Posiz. Sagitt Position Longitudinale 1)	Snervamento Bruchgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Bruchgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Dehnung Elongation Allongement E 4d %	Strizione Einschnürung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB
Valori richiesti 1 Anforderungen/Required values Valeurs demandées	min max			30	-	75 115	40	50	-	-
A	12X6,3	68	L	41	-	86	57	69		177

TEST	min	max
A	Grain size for ASTM E112	5

1) L=longitudinale/längs, T=transversale/quers, Q=Transversale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Heat Schmelze/Coulée	min - max 0,080	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,045	0,030	0,100	-	-	-	-	-
C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %						
425245	0,016	0,44	1,69	18,18	0,36	0,44	8,00	0,027	0,024	0,097					

Annealing temperature: 1940°F for 0.5 h/water.

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimiscelazione: OK
Verwechslungsprüfung: spektroskopisch durchgeführt
Antifaking testing performed: OK
Contrôle antimélange fait: r.s.a.

Controllo visivo e dimensionale: soddisfatta le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks: satisfactory
Contrôle visuel et dimensions: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s.4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 30/11/11

VCO008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werksachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO17975**

Purchase Order Date 9/21/12

PO Print Date 9/21/12

Page Number 1 of 1

Order From :

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
6/22/12

123216

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.250x0.500	304 BAR .250 x .500	10/03/12 Yes	500.00 f	Yours ppd	\$2.4300	\$1,215.00

Special Inst: AISI 304/316 SS BAR OR AISI 304/316 SS
PLATE
PER ASTM A276 OR ASTM A240
NOTE:(303 NOT ACCEPTABLE)

PO Total:

\$1,215.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 9/21/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO



• Manitoulin Transport Inc.
• Manitoulin Logistics Inc.
• Quebec Express Inc.

• Farmer Cartage Inc.
• Jet Transportation Ltd.
• Lakehead Freightways Inc.

NO. DE PRO. NO.



P.O. Box 390, 154 Hwy 540B,
Gore Bay, Ontario P0P 1H0

www.manitoulintransport.com

DAY JOUR	MONTH MOIS	YEAR AN	B/L or PRO. NO. NO. DE CONN. ou PRO.	UNIT NO. N° D'UNITÉ	COLL/PPD	16948405	#01
01	10	12	14864172		PPD		

SHIPPER - EXPÉDITEUR

ADDRESS - ADRESSE

A M CASTLE & CO, 835 SELKIRK AV, POINTE CLAIRE, QC H9R3S2

CONSIGNEE - CONSIGNATAIRE

DART AEROSPACE LTD, 1270 ABERDEEN, HAWKESBURY, ON K6A1K7

TRANSFER TO - TRANSFÈRE A

AT - A

I/O

%

BILL TO - FACTURER A

(0001855)

MEYERS TRANSPORT LTD

OTT

O

A M CASTLE & CO

PIECES

DESCRIPTION

WEIGHT / POIDS

RATE / TARIF

AMOUNT / MONTANT

1

BUNDLE METAL PRODS - CLASS 50
PACKING SLIP MUST BE DEL'D WITH ORD
FCA-100036 20121001 17:46:32
FS SURCHARGE
MEYT 554 20121001 MEYT
LESS DISCOUNT...
SN:14864172, PO:17975, ON:2439830
HST/TPS

214



TRL

DR/HO

PU#

ID#



1266468270

ARR

IN

OUT

ANY LOSS OR DAMAGE MUST BE NOTED ON PRO
BILL AT TIME OF DELIVERY, AND INITIALED BY
DELIVERY DRIVER.

TERMS: NET 21 DAYS, 2% PER MONTH (24% PER ANNUM) ON OVERDUE ACCOUNTS
TERMES: NET 21 JOURS, 2% PAR MOIS (24% PAR ANNÉE) SUR COMPTES EN SOUFFRANCE

TOUTES PERTES OU DOMMAGES DOIVENT ÊTRE
NOTES AU MOMENT DE LA LIVRAISON, ET
INITIALES PAR LE CHAUFFEUR

RECEIVED IN GOOD ORDER BY / REÇU EN BON ÉTAT PAR
SIGNATURE

PRINT NAME / NOM

G.S.T. / H.S.T. / T.P.S. # R103481925

X

TOTAL

DATE RECEIVED / DATE DE RÉCEPTION

TIME IN / ARRIVÉE

TIME OUT / DÉPART

CUSTOMER SERVICE 1 800 365 1485 SERVICE À LA CLIENTÈLE

PROBILL 8, NOV 13, 2006